



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/869,813	01/03/2002	Lawrence M. Boyd	4002-2734	1340

7590

04/20/2004

Kenneth A Gandy  
Woodard Emhardt Naughton Moriarty & Mcnett  
Bank One Ceter Tower Suite 3700  
111 Monument Circle  
Indianapolis, IN 46204

EXAMINER

COMSTOCK, DAVID C

ART UNIT PAPER NUMBER

3732

DATE MAILED: 04/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

09/869,813

**Applicant(s)**

BOYD ET AL.

**Examiner**

David Comstock

**Art Unit**

3732

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 January 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-15, 17-37, 40, 41, 44-47, 50-52 and 54-58 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-15, 17-37, 40, 41, 44-47, 50-52 and 54-58 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>9</u> . | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-7, 9-13, 18, 19, 40, 41, 44-47, 50, 51, and 58 are rejected under 35 U.S.C. 102(b) as being anticipated by Zdeblick et al. (5,669,909).

Zdeblick et al. disclose a pair of interbody fusion devices 10 comprising an elongated generally cylindrical body having end walls 12 and 17, a side wall 16, and a hollow interior chamber 15 between the two ends (Fig. 2). One end 12 has flat discontinuities corresponding to discontinuities 22 in the side wall. The discontinuities allow the device to be nested against another device in a single disc space (see Fig. 6 and col. 7, lines 50-58). The side wall discontinuity extends along a length of the body aligned with the end wall discontinuity. The side wall discontinuity defines a plurality of side wall openings 24,25 to the interior chamber 15. The interbody fusion device 10 is formed of metal (see col. 5, lines 42-47). The outer surface defines threaded bone-engaging portions 18. The device includes a tool-engaging end 13 defining a tool engaging hole, e.g. a hex recess (see col. 7, lines 6-10). An osteogenic material is

Art Unit: 3732

disposed within the chamber (see col. 5, lines 55-59 and col. 7, lines 50-58). Each side wall discontinuity appears to extend over approximately 25% of the circumference of the body (see Attachment A, corresponding to Fig. 4). The side wall discontinuity appears to extend over at least 80% of the length of the body (see Fig. 2). Osteogenic material could be introduced through the openings 24,25. Zdeblick also discloses preparing adjacent vertebrae and placing the devices in the intervertebral space to nest against each other (see col. 7, lines 50-58 and col. 10, line 48 - col. 11, line 51 and Fig. 6). It is also disclosed to pack osteogenic material prior to or after implanting the devices, i.e. "additional bone graft material" where "additional" implies some was added before implantation while the "additional" amount was added "in situ" (see col. 5, lines 55-59 and col. 7, lines 50-58).

Claims 1-3, 5-15, 17-22, 24-37, 40, 41, 44-47, 50-52, and 54-56 are rejected under 35 U.S.C. 102(b) as being anticipated by Michelson (5,593,409; cited by applicant).

Michelson discloses a pair of spinal implants 900a, 900b comprising an elongated generally cylindrical body having two end walls, a side wall, and a hollow interior chamber between the two ends (see, e.g. Figs. 42 and 43; col. 13, lines 4-13; and col. 15, lines 12-38). Each end of a first implant has a concave discontinuity corresponding to the discontinuity 902 in the side wall (see Fig. 43 and col. 15, lines 27-29). The side wall discontinuity extends along the entire length of the body and is aligned with the end wall discontinuity. The end walls have a profile defining a discontinuous arc extending around between 180 degrees to 324 degrees (approx. 270

Art Unit: 3732

degrees, based on Fig. 43) of the circle and also comprise a concave surface. The discontinuities allow one implant to nest against and within the discontinuity of another implant in a single disc space (see Fig. 43 and col. 15, lines 27-38). The side wall discontinuity defines a plurality of side wall openings 828 to the interior chamber (see Fig. 42). The implants are formed of titanium (see col. 10, lines 32-39). The outer surface defines bone-engaging edges (see, e.g. Fig. 42). The implants include a tool-engaging end 830 defining a tool engaging hole 834 (see, e.g. Fig. 42). An osteogenic material, e.g. a calcium phosphate or an osteoinductive factor such as morphogenic protein, is disposed within the chamber of the implants (see col. 10, lines 25-32). The side wall discontinuity appears to extend over approximately 25-30% of the circumference of the body (see Fig. 43). Osteogenic material could be introduced through the openings, especially given that the size and number of openings can easily be varied (see col. 10, lines 12-16). It is noted here that whether or not the holes are intended for bone ingrowth, their very existence is enough to make possible the introduction of osteogenic material therethrough. Michelson also discloses preparing adjacent vertebrae and placing the devices in the intervertebral space to nest against each other (see Fig. 43 and col. 12, line 25 - col. 13, line 3).

Claims 52 and 54-57 are rejected under 35 U.S.C. 102(b) as being anticipated by Brosnahan, III (5,645,598; cited by applicant).

Brosnahan, III discloses a metal fusion spacer 10 comprising a generally cylindrical elongate body defining a side wall opening into an interior chamber 40 (see Fig. 14 and col. 4, lines 33-41). The first and second ends have a concave discontinuity

Art Unit: 3732

48,50. The side wall includes threads. The end walls are integrally fixed to the side wall. The spacer includes a tool-engaging end having a tool-engaging hole 32. The chamber is filled with an osteogenic material 42 (see col. 5, lines 31-45). The device includes the concave discontinuities to allow it to be closely nested with another implant (see col. 5, lines 46-62). The end walls have a profile defining a discontinuous arc 44,46 extending around at least 180 degrees of the circle and comprise the two concave surfaces 48,50 (see Fig. 14).

Claim 19 is rejected under 35 U.S.C. 102(e) as being anticipated by Kohrs (6,224,631).

Kohrs discloses a fusion spacer 10 comprising a generally cylindrical elongated body 4,5 (see Figs. 1, 2, and 4). The first and second end walls have concave discontinuities 21,22 that extend across the length of the spacer to form side walls 8a,8b,8c,8d (and the portions 1,2 connecting the side wall components 8a,8b,8c,8d) connecting the first and second ends. The discontinuities in the side walls are at the same location as the discontinuities in the end walls and extend about the circumference of the device the same extent. The side walls define hollow interior cavities 9a,9b,9c. It is especially noted that hollow interior cavity 9b is located between the first and second ends of the body (see Fig. 1). The shape of the device renders it capable of being nested with another implant. The end walls have a profile defining a discontinuous arc extending around at least 180 degrees of the circle and comprise the concave surfaces 21,22 (see Fig. 4).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-7, 9-15, 18-26, 28-37, 40, 41, 44-47, 50, 51, and 58 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zdeblick et al. (5,669,909) in view of Michelson (5,593,409; cited by applicant).

Zdeblick discloses the claimed invention except for the concave side wall discontinuities. Michelson discloses that flat side walls and concave side walls are functionally equivalent means of allowing two implants to fit within a single disc space (see Figs. 25 and 43, col. 12, line 59 - col. 13, line 3; and col. 15, lines 19-38). It would have been obvious to substitute concave side wall discontinuities for flat side wall discontinuities, in view of Michelson, as this would involve nothing more than the substitution of functionally equivalent means of accommodating two implants in a single disc space, known in the art at the time of the invention.

***Response to Arguments***

Applicant's arguments with respect to Brosnahan, III have been considered but are moot in view of the new ground(s) of rejection.

Applicant's arguments with respect to Vich have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 3732


Applicant's arguments with respect to Kohrs have been considered but are moot in view of the new ground(s) of rejection. As noted above in the rejection, the elongated body defines the hollow interior *cavity* 9b, which is located between the first and second ends of the body (see Fig. 1). It is further noted that while a *chamber* would require at least one more wall to form an at least semi-enclosed space, a *cavity* is merely a hollow area within the body.

### **Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David C. Comstock whose telephone number is (703) 308-8514.




D. Comstock  
16 April 2004



EDUARDO C. ROBERT  
PRIMARY EXAMINER



# ATTACHMENT A



Appears to be approx.  
90° or 25% of the  
Circumference.